

Not for Resale. Thank you gift to our subscribers.

EZ Patch



Fabric Café

Putting the Fun Back in Quilting!

Fabric Café

Putting the Fun Back in Quilting!



*A personal letter: from
Donna Robertson &
Fran Morgan, owners
and designers for Fabric
Café!*

Thank you for downloading our free pattern! We hope you will enjoy making your new quilt. We think you will find the instructions easy to follow and that the end results of your new quilt will be to your satisfaction. Should you have any questions or need our assistance, please don't hesitate to contact us at welisten@fabriccafe.com or call us toll-free 866-855-0998.

Please note that this pattern and the images within are copyrighted by Fabric Café with all rights reserved. Please do not copy and share.

Donna Robertson

Fran

New Version

Fabric Café®

090532-01



Make it
with
3 yards

45" x 60"

EZ Patch

EZ Patch

Materials List

Quilt Top


- 3 coordinating fabrics of 3, 1 yard cuts

Backing Fabric

- 3 yards of fabric

Other Materials

- Twin-size batting
- Sewing thread to match fabric



Fabric Café®

Copyright Fabric Cafe 2005
www.fabriccafe.com

Printed in the USA



8 50029 30649 8

EZ Patch

Designed by Susan Laity Price

Finished Size 45" x 60"

Note: WOF means "width of fabric." Seam allowance is 1/4" throughout. This quilt is intended as an economy quilt designed to utilize 44" wide fabric most efficiently. If you choose to prewash fabrics, overcast raw edges to avoid loss of fabric through raveling. We use a single fold binding. Tutorial available at fabriccafe.com. If double fold binding is preferred, an additional 1/2 yard of fabric is needed.

Cutting Instructions

From Fabric #1:

- * Cut 1, 8" x WOF for **Strip Assembly "B"**
- * Cut 1, 8" x WOF; from this strip, cut 1, 8" x 25" for **Partial Strip Assembly "B"**
- * Cut 2, 8" x WOF for **Strip Assembly "C"**

From Fabric #2:

- * Cut 1, 8" x WOF for **Strip Assembly "A"**
- * Cut 1, 8" x WOF; from this strip, cut 1, 8" x 17" for **Partial Strip Assembly "A"**. From the remainder of this strip, cut 1, 8" x 9" for **Partial Strip Assembly "A"**

From Fabric #3:

- * Cut 1, 8" x WOF for **Strip Assembly "B"**
- * Cut 1, 8" x WOF; from this strip, cut 1, 8" x 25" for **Partial Strip Assembly "B"**. From the remainder of this strip, cut 1, 8" x 17" for **Partial Strip Assembly "A"**
- * Cut 1, 8" x WOF for **Strip Assembly "A"**
- * Cut 1, 8" x WOF; from this strip, cut 1, 8" x 9" for **Partial Strip Assembly "A"**. From the remainder of this strip, cut 6, 1/4" x 33" **Binding Extensions**
- * Cut 1, 1/4" x WOF for binding

From Backing Fabric:

- * Cut 2, 54" x WOF

Step 1: Unit "A", "B" and "C" Assembly

Referring to **Strip Assembly "A"** diagram, using one fabric #2, 8" x WOF strip and one fabric #3, 8" x WOF strip, sew together on long edges. Repeat using **Partial Strip Assembly** strips, making one full and 2 partial assemblies. Cut into 8, 8" x 15 1/2" **Unit "A"**. Referring to **Strip Assembly "B"** diagram, using one fabric #1, 8" x WOF strip and one fabric #3, 8" x WOF strip, sew together on long edges. Repeat using **Partial Strip Assembly** strips, making one full and one partial assemblies. Cut into 8, 8" x 15 1/2" **Unit "B"**. Referring to **Strip Assembly "C"** diagram, using one fabric #1, 8" x WOF strip and one fabric #2, 8" x WOF strip, sew together on long edges. Repeat making 2 assemblies. Cut into 8, 8" x 15 1/2" **Unit "C"**.


Step 2: Block "A", "B" & "C" Assembly

Referring to **Block "A"** Assembly diagram, using one **Unit "A"** and one **Unit "B"**, sew together as shown. Repeat making 4, 15 1/2" x 15 1/2" **Block "A"**. Referring to **Block "B"** Assembly diagram, using one **Unit "C"** and one **Unit "A"**, sew together as shown. Repeat making 4, 15 1/2" x 15 1/2" **Block "B"**. Referring to **Block "C"** Assembly diagram, using one **Unit "B"** and one **Unit "C"**, sew together as shown. Repeat making 4, 15 1/2" x 15 1/2" **Block "C"**.


Step 3: Quilt Assembly

Referring to **Quilt Assembly** diagram, alternating **Blocks**

Fabric Selection Guide



Quilt Assembly




"A", "B" and "C" as shown, assemble 4 rows of 3 blocks each.

Step 4: Backing & Binding

Sew backing fabric together along trimmed selvage edges; press. Layer top, batting and backing together; quilt as desired. For binding, using fabric #3, 1/4" x WOF binding strips and **Binding Extensions**, sew strips together end to end. Press


in half with wrong sides together; press one raw edge to center fold. Place right side of binding to front side of quilt. Using a scant 1/4", sew unpressed edge of binding to quilt, mitering corners. Fold to back and hand stitch in place.

Strip Assembly "A"




Make one full and 2 partial assemblies.
Cut 8, 8" x 15 1/2" **Unit "A"**

Block "A" Assembly




Make 4, 15 1/2" x 15 1/2" **Block "A"**

Strip Assembly "B"




Make one full and one partial assemblies.
Cut 8, 8" x 15 1/2" **Unit "B"**

Block "B" Assembly




Make 4, 15 1/2" x 15 1/2" **Block "B"**

Strip Assembly "C"



Make 2 assemblies.
Cut 8, 8" x 15 1/2" **Unit "C"**

Block "C" Assembly



Make 4, 15 1/2" x 15 1/2" **Block "C"**

Fabric Café

Copyright Fabric Cafe 2005
www.fabriccafe.com